



"Built by Miners, for Miners"

# Greenidge Generation

- 
- !
- " # \$%
- & ! ' ( ) \* + & \* , ( \* +
- & ! \$ -



\* \* Pod X

\*

.

Pod X ,

\$

4

6

(

\* \* 3

\$ ! \*



4

+


: Pod X

;

\*

Outside air temperature (° F)  
Average outside air temperature- 73° F

69 76 6 6! 63 63 "9 73 7" 7# 7! 73 7" 79 " ! 6 73 76 7\$ 7 76



GREENIDGE POD X-99.75%

OTHER POD- 87.3%

3 wee - a!erage uptime  
"ata ta en from a Greenidge site

Pod X

\* +

"\$\$

=> # (! ?

\*

(

Costs per Pod

#mounts denoted in \$.%. dollars

Greenidge Pod X

Competitor 1

Competitor 2

> /


> /< BBB

> @5 AB



Pod X E\* 1 ! , ;

\$ \* F\* \* \$ E\* 3 \* \*





Pod X \* ) \$

\* (

\_\_\_\_\_

\_\_\_\_\_

) \$ - ! \*

( \$ \*



\_\_\_\_\_

\_\_\_\_\_

0 \*

0 G \$



\_\_\_\_\_

\_\_\_\_\_

1 ! \$ \* !

\* \$



\_\_\_\_\_


\_\_\_\_\_

5

& 8 !



& %&'')&(\* +, P+' X



; \* (

Other Pod Managers

Greenidge

) \* \* !

0 ! \$ << ! \* F

9 \$ 3 \$  
0 G .46 ( ) ] T J E T

6 %  
0 G A 2 ( ) 380354-5.12 ( ) -3.125007

+  
\$ I

\* \* \* :5  
/ F \$

Pod X

G

0\$

:

( %

6 -



# Pod X

+ :+\* \* 0 "

[.abramo@greenidge.com](mailto:abramo@greenidge.com)

**013-234-5640**